



Looking for More from Your Can Liner Program?



Rollpak™ liners are made from thinner, stronger films that have consistently re-defined industry performance standards. From lightweight liners used in offices to super-strong trash bags for industrial waste, the Rollpak™ name means performance you can count on, day in and day out.

To assure product performance that lives up to the Rollpak™ name, we use only prime resins meeting our own strict standards for quality and consistency. Along the way, we apply ISO-driven processes – including continuous quality checks – to ensure that every Rollpak™ bag we produce is exactly the same...tough, durable and dependable.


So go ahead. Expect more from your can liner program. With Rollpak™ liners from Buznl, stronger performance is in the bag.



HIGH PERFORMANCE CAN LINERS

™Rollpak is a trademark of Berry Plastics Corporation

Floor Pads



FLOOR PADS

A. FLOOR PADS

PRIME SOURCE®

Black Stripping Pads

For long-lasting, heavy-duty stripping.

75004425	75004425	13", Black	5/cs.
75004392	75004392	14", Black	5/cs.
75004395	75004395	16", Black	5/cs.
75004434	75004434	17", Black	5/cs.
75004442	75004442	19", Black	5/cs.
75004451	75004451	20", Black	5/cs.

Dark Blue Safire™ Maximum Performance Stripping Pad

Highly abrasive for maximum stripping power. Recommended for use on machines operating at 175 to 350 RPM.

75004446	75004446	20", Dark Blue	5/cs.
----------	----------	----------------	-------

Emerald II Stripping Pad

For use with stripping solution to remove even the toughest heel marks and heavy finish buildup. Features include: super open web, highly abrasive, tear resistant, durable and tough and increased efficiency. Durable and aggressive for the toughest stripping jobs.

75004418	75004418	20", Emerald Green	5/cs.
----------	----------	--------------------	-------

Maximum Performance Stripping Pad

Highly abrasive for maximum stripping power. Recommended for use on machines operating at 175 to 350 RPM.

75004428	75004428	17", Dark Blue	5/cs.
----------	----------	----------------	-------

Green Scrubbing Pads

For wet, heavy-duty scrubbing.

75004435	75004435	17", Green	5/cs.
75004443	75004443	19", Green	5/cs.
75004452	75004452	20", Green	5/cs.

Blue Cleaning Pads

Designed for moderate scrubbing or heavy spray cleaning. Use with machine speeds of 175 to 300+RPM.

75004433	75004433	17", Blue	5/cs.
75004450	75004450	20", Blue	5/cs.

Aqua Burnisher Pads

A superior soft pad that lightly polishes the floor for a reflective appearance. Recommended for use on machines operating at 1000 to 3000+ RPM.

75004471	75004471	20", Aqua	5/cs.
75004472	75004472	27", Aqua	2/cs.

Beige UHS Burnishing Pads

A moderately soft burnishing pad for a softer finish.

75004449	75004449	20", Beige	5/cs.
75004408	75004408	24", Beige	5/cs.
75004466	75004466	27", Beige, 3/4" CH	2/cs.

Heavy-Duty UHS Burnishing Pad

Top quality, natural hair burnishing pad with a hard and aggressive binder. Use with machine speeds of 1000 to 3000+ rpm.

75004475	75004475	20", Natural	5/cs.
----------	----------	--------------	-------

Light Blue UHS Burnishing Pad

Use where burnishing is required on a frequent basis. Soft binders with fine synthetic fiber create a super soft pad for dry burnishing.

75004445	75004445	20", Light Blue	5/cs.
----------	----------	-----------------	-------

A. FLOOR PADS (CONT.)

PRIME SOURCE®

Natural Hair UHS Burnishing Pads

A blend of synthetic fibers and natural hair. Pads last longer with lubricating effect of a hair pad.

75004421	75004421	19", Natural	5/cs.
75004447	75004447	20", Natural	5/cs.
75004399	75004399	20", Natural, Light	5/cs.
75004455	75004455	21", Natural	5/cs.
75004986	75004986	21", Natural, Light	5/cs.
75004987	75004987	24", Natural, Light	5/cs.
75004979	75004979	27", Natural	5/cs.
75004464	75004464	27", Natural, 3/4" CH	2/cs.
75004474	75004474	27", Natural, Light	2/cs.

Red Spray Buffing Pads

Used in dry buffing and spray buffing or light scrubbing applications.

75004427	75004427	13", Red	5/cs.
75004429	75004429	14", Red	5/cs.
75004407	75004407	16", Red	5/cs.
75004436	75004436	17", Red	5/cs.
75004444	75004444	19", Red	5/cs.
75004453	75004453	20", Red	5/cs.

White Super Polishing Pads

Produces a high-gloss, "wet-look" shine in polishing applications.

75004422	75004422	13", White	5/cs.
75004401	75004401	15", White	5/cs.
75004431	75004431	17", White	5/cs.
75004439	75004439	19", White	5/cs.
75004448	75004448	20", White	5/cs.

B. FLOOR PADS

CCP

Conventional Thickline Stripping Pads

For long lasting, heavy-duty stripping. Recommended for use on machines operating at 175 to 350 RPM.

27600088	20007	13", Black	5/cs.
27600167	20008	14", Black	5/cs.
27600380	20009	15", Black	5/cs.
27600113	20010	16", Black	5/cs.
27600387	20012	18", Black	5/cs.
27600498	20013	19", Black	5/cs.
27600446	20014	20", Black	5/cs.
27600386	20016	22", Black	5/cs.

Safire™ Ultra 66 Maximum Performance Stripping Pads

Highly abrasive for maximum stripping power. Recommended for use on machines operating at 175 to 350 RPM.

27600434	23476	14"	5/cs.
27600418	23466	19"	5/cs.


Conventional Scrubbing Pads

Designed for heavy-duty wet scrubbing to remove surface coat, ground-in dirt and scuff marks. Use with machine speeds of 175-300+RPM.

27600175	20125	14", Green	5/cs.
27600497	20128	17", Green	5/cs.

FLOOR EQUIPMENT

Floor Pads



FLOOR EQUIPMENT

A. FLOOR PADS (CONT.) CCP

Conventional Thickline Cleaning Pads

For wet, medium-duty scrubbing. Recommended for use on machines operating at 175 to 300 RPM.

27600475	20205	16", Blue	5/cs.
27600096	20206	17", Blue	5/cs.
27600097	20209	20", Blue	5/cs.

Blue Ice UHS Burnishing Pad

A super soft pad for dry burnishing. Recommended for use on machines operating at 1000-3000+ RPM. Use where burnishing is required on a frequent basis for more time between re-coatings.

27600457	29757	27", Blue, 3/4" Center Hole	2/cs.
-----------------	-------	-----------------------------	-------

Buckaroo™ Ultra High Speed Burnishing Pads

A natural hair pad that excels in bringing out the luster on softer, buffable floor finishes. Recommended for use on machines operating at 1000 to 3000+RPM.

27600313	20365	21", Natural	5/cs.
27600318	20368	24", Natural	5/cs.
27600422	23624	27", Natural, 3/4" Bolt Hole	2/cs.

Jackeroo™ Ultra High Speed Burnishing Pads

A correct blend of natural hair and synthetic fibers. Longer lasting with the lubricating effect of a hair pad. Use with machine speeds of 1000 to 3000+RPM.

27600395	20403	20", Natural	5/cs.
-----------------	-------	--------------	-------

Conventional Thickline Spray Buffing Pads

For dry buffing, spray buffing or light-duty scrubbing. Recommended for use on machines operating at 175 to 300 RPM.

27600094	20046	13", Red	5/cs.
27600116	20047	14", Red	5/cs.
27600381	20048	15", Red	5/cs.
27600111	20049	16", Red	5/cs.
27601975	20050	17", Red	5/cs.
27600296	20051	18", Red	5/cs.
27600300	20052	19", Red	5/cs.
27600085	20053	20", Red	5/cs.
27600492	20054	21", Red	5/cs.

Microtron® Polishing Pads

An ideal pad for light cleaning and dry buffing, producing a sparkling shine. Use with the 175 to 300 RPM machine.

27600402	13313	13", Tan	5/cs.
-----------------	-------	----------	-------

Super Polishing Pads

For dry polishing or with fine water mist to ensure high gloss. Recommended for use on machines operating at 175 to 350 RPM.

27600448	20090	18", White	5/cs.
-----------------	-------	------------	-------

White Polishing Pads

For dry polishing or with water to ensure a high gloss. Recommended for use on machines operating at 175 to 300 rpm.

27603247	14413	13", White	5/cs.
27604414	14414	14", White	5/cs.
27604417	14417	17", White	5/cs.
27604419	14419	19", White	5/cs.
27604420	14420	20", White	5/cs.
27604427	14427	27", White	2/cs.

A. FLOOR PADS (CONT.) CCP

Ultra High Speed Floor Pads

A unique rubberized coating gives this pad superior tensile strength and unsurpassed heat-generating capabilities. Performs exceptionally well with propane machines on soft to medium finishes.

27601604	15119	19", Beige	5/cs.
27605122	15120	20", Beige	5/cs.

B. FLOOR PADS 3M

Sanding Screen

Mesh screen disc with strong fiber, uniform open construction and consistent cut from start to finish.

66551511	29847	16 1/2", 16XNH, 60 Grit	12/cs.
-----------------	-------	-------------------------	--------

7200 Stripping Pads

The industry standard stripping pad. Maintains consistent high performance throughout the life of the pad. For use on rotary or automatic low speed (175 to 350 RPM) floor machines.

66557217	04801108379	17", Black	5/cs.
66557219	04801108381	19", Black	5/cs.
66553045	04801108381	19", Black, Hi-Pro	5/cs.
66558382	04801108382	20", Black	5/cs.

7300 High Productivity Stripping Pad

Quickly and thoroughly removes old finish, dirt and buildup. Unique, open web construction stripping solution flows through pad to rinse out dirt and reduce loading for increased pad-to-floor contact, more efficient stripping. For heavy finish buildup, quick stripping and stain removal. For use on rotary or automatic low speed (175 to 600 RPM) floor machines.

66552059	04801108272	14", Black	5/cs.
-----------------	-------------	------------	-------

3100 Burnish Pads

For use on softer finishes. Produces a brilliant gloss. Exceptional durability and life. The problem solver for soft finishes.

66553120	04801108753	20", Aqua	5/cs.
66553127	04801120264	27", Aqua	5/cs.

3600 Eraser™ Burnish Pad

Removes black marks in fewer passes than other pads and retains excellent gloss and image clarity. Excellent durability and minimal finish removal. For use with ultra high speed machines 1500 to 3000 RPM.

66551181	04801125858	20", Pink	5/cs.
-----------------	-------------	-----------	-------

5100 Buffer Pads

Specially designed for spray buffing. Cleans when damp; buffs when dry. Quickly cleans and removes scuff marks and enhances floor appearance. For use on low speed (175 to 600 RPM) rotary or automatic equipment.

66551441	04801108389	14", Red	5/cs.
66553425	04801108392	17", Red	5/cs.
66553347	04801108395	20", Red	5/cs.

4100 Super Polish Pads

For buffing very soft finishes or for polishing soft waxes on wood floors. Removes scuffs and black heel marks and enhances floor appearance. For use on low speed (175 to 600 RPM) rotary equipment.

66554119	04801108483	19", White	5/cs.
66553479	04801108484	20", White	5/cs.

Carpet Bonnets/Upright & Backpack Vacuums/Bags




CARPET BONNETS

A. SPIN KLEAN® P-4 BONNET W/SCRUB STRIPS RUBBERMAID

Low-profile bonnet with scrub strips adds additional scrubbing action for improved cleaning performance. Use with a standard rotary floor machine for intensive carpet maintenance.

17700551	<i>P267</i>	17", White/Green	1/ea.
17700555	<i>P267</i>	17", White/Green	5/cs.
17700269	<i>P269</i>	19", White/Green	5/cs.
17700078	<i>P271</i>	21", White/Green	5/cs.



UPRIGHT VACUUMS

B. MANUAL HEIGHT UPRIGHT VACUUM CLEANERS RUBBERMAID

Nozzle easily removes for service; no tools required for assembly. Easy to replace bags, brush rollers, and filters. Easy to remove clogs. Electronic indicator lights for full bag and brush jam warnings. On-board tool storage. Optional HEPA filtration kit. CRI Green Label certification for improved indoor air quality. This product has a 105 CFM, a 98" waterlift, and 10A.


17700988	<i>9VMH12</i>	12 ³ / ₅ "L x 12"W x 46"H, 12"	1/ea.
17700987	<i>9VMH15</i>	12 ³ / ₅ "L x 15"W x 46"H, 15"	1/ea.



C. TRADITIONAL UPRIGHT VACUUM CLEANERS RUBBERMAID

Easy-empty paper bag within cloth bag and a bag collar seal for improved indoor air quality. 50' power cord. Six-position carpet height adjustment. Durable metal handle tube and bottom plate. Robust furniture guard. CRI Green Label certification for improved indoor air quality. This product has a 156.5 CFM, and 7A.

17700986	<i>9VCV12</i>	16 ¹ / ₂ "L x 13 ¹ / ₁₀ "W x 46 ¹ / ₁₀ "H, 12"	1/ea.
17700984	<i>9VCV16</i>	16 ¹ / ₂ "L x 17 ² / ₅ "W x 46 ¹ / ₁₀ "H, 16"	1/ea.



D. ULTRA LIGHT UPRIGHT VACUUM CLEANER RUBBERMAID

Weighs less than 10 lbs. (without cord). Built-in, center-balanced, "easy-carry" handle. Floating nozzle enables cleaning of both hard and soft floor surfaces. 40' power cord. Large outboard wheels improve maneuverability. No tools required for assembly. Unique extension cord hook allows easy connection to the extension cord. CRI Green Label certification for improved indoor air quality.

17700999	<i>9VUL12</i>	9 ⁵ / ₈ "L x 12 ¹ / ₂ "W x 46 ² / ₅ "H, 12", 79.5 CFM, 4A	1/ea.
-----------------	---------------	---	-------

BACKPACK VACUUMS

E. BACKPACK VACUUM CLEANERS RUBBERMAID

Lightweight with comfortable harness design. Narrow profile for unrestricted mobility. Very quiet operation for day cleaning. Four stage filtration system. Closed bag design and security latches for cleaner air, no leaks. 50' 3-wire cord. Flexible hose, crevice tool, floor tool, aluminum wands, dusting brush, and upholstery tool included. Optional HEPA bags available. CRI Green Label certification for improved indoor air quality. This product has a 110 CFM, a 100" waterlift, and 8A.

17700983	<i>9VBP06</i>	6 qt., 11 ¹ / ₂ "L x 13"W x 21 ¹ / ₁₀ "H	1/ea.
17700982	<i>9VBP10</i>	10 qt., 11 ¹ / ₂ "L x 13"W x 24 ¹ / ₅ "H	1/ea.



VACUUM BAGS

F. VACUUM BAGS RUBBERMAID

Disposable replacement bags.

177009765	<i>9VBP06</i>	Fits 9VBP06	10/pk.
177009775	<i>9VBP10</i>	Fits 9VBP10 and 9VBH10	10/pk.
177001525	<i>9VMHBA12</i>	Fits 9VPH12, 9VPH15, 9VMH12, and 9VMH15	10/pk.



Floor Sweepers/Floor Mats



FLOOR EQUIPMENT



FLOOR SWEEPERS

A. DUAL ACTION FLOOR /CARPET SWEEPER RUBBERMAID

Two types of brushes provide maximum cleaning and versatility on bare floors or low pile carpets. Dual debris pans with one-touch cleaning doors. Wide sweep path with protective bumper. Soft rubber wheels and brushes conform to floor surface. Designed for large debris as well as smaller crumbs and dirt. Constructed of durable galvanized steel and tough ABS plastic.

177042131 421388 7 1/2" Path, Black 1/ea.

B. FLOOR/CARPET SWEEPER RUBBERMAID

Smaller size gets into tight spots. Easy-open debris pan for effortless cleaning. Constructed of durable galvanized steel and tough ABS plastic. Ideal for bare floors or low pile carpets.

177042121 421288 6 1/2" Path, Black 1/ea.



FLOOR MATS

C. SABRE/POLYPLUSH™ MATTING SUPERIOR MANUFACTURING

Designed for use in light to medium foot traffic areas. Durable Decalon® fibers provide moisture and grime retention at entrances and passageways; reducing slip hazards and floor care maintenance. 19 oz. of carpet per square yard offers good water retention. Low profile, cut pile carpet provides traditional décor appearance. Thick vinyl backing; reduces mat movement. Overall thickness is 5/16".

42560007 1303X5BR 3' x 5', Brown 1/ea.

42560008 1303X5CH 3' x 5', Charcoal 1/ea.



D. FOOT-LOVER™ ANTI-FATIGUE MAT CROWN MATTING

Anti-fatigue mat made of 100% chemically blown poly vinyl chloride closed cell sponge offers economical fatigue relief.

44800662 FL2760BK 27" x 60", Black 1/ea.

E. CUSHION-STEP® SPIFFY ANTI-FATIGUE MAT CROWN MATTING

Smooth spiffy vinyl surface with a foam backing offers an attractive and easy-to-clean mat. Three year warranty. Exclusive Fusion Technology. Surface resistant to oil, grease and all common acids and alkalis as well as to organic solvents if removed promptly. Easy-to-clean vinyl is more puncture resistant. Safety beveled edges available on standard size mats. Thickness: 1/2".

44801020 CU3660BLK 3' x 5', Black 1/ea.



Floor mats are available in any size, shape or color! Contact your representative today for details

Keeping hands clean, helps keep people safe.

Clean hands are as easy as 1, 2, 3



1. WASH

Wash your hands often with soap and warm water.



2. SANITIZE

Use PURELL® Instant Hand Sanitizer where soap and water are not available.



3. EDUCATE

Learn about good hand hygiene and download educational tools at www.GOJO.com.

Keeping hands clean helps prevent illness at work, at school, and at home.

“Hand hygiene is a simple thing, and it’s the **best way** to prevent infection and illness.”¹

— Centers for Disease Control and Prevention

Here’s proof it works!

- **20% reduction** in absenteeism in a workplace situation ²
- **51% reduction** in absenteeism in schools ³
- **43% reduction** in lost training time by the military ⁴