

# Plumbing/Air Conditioning/Envelope/Paper



## PLUMBING

### A. EZ-FLUSH AUTOMATIC FLUSHING UNIT WATERBURY

Converts manual flush valves on urinals and commodes into modern hands-free fixtures. Retrofit kits work with most flush valves and come complete with everything you need from tools to batteries. Along with quick installation, you get enhanced features that offer the utmost in sensor operation and user detection. Eliminates odors and unflushed fixtures. Hands-free operation. Improved building presentation.

722230821 383082TM 1/ea.



## AIR CONDITIONING

### B. AC COVER FROST KING

Protect expensive central air conditioners against damage caused by rain, snow, and harsh winter weather. Winterized poly/fabric cover protects window units from weather damage while eliminating drafts. Elasticized straps hold securely in place. Sized to fit the BTU capacity of your air conditioner.

C3112103 AC4H 12/cs.

### C. AIR CONDITIONER FILTER FROST KING

Replacement air conditioners filter. Washable and re-usable. Can be cut to proper size with a pair of scissors.

C3112108 F1524 15" x 24" x 1/4", Cell Plastic Foam 24/cs.

### D. THERMWELL POLY SHEETING FROST KING

Boxed roll of polyethylene sheeting.

C3111014 P1014 10" X 100', Clear 1/rl.

### E. WEATHER SEAL FROST KING

Highly compressible foam strips press in place around units and between windowpanes. They cut heat loss and improve cooling efficiency.

C3112105 AC43H 2 1/4" x 2 1/4" x 42" 18/cs.



## PACKING LIST ENVELOPE

### F. SELF ADHERING PACKING LIST ENVELOPE JANNEL PACKAGING

PLE top polyethylene self-adhering envelopes utilize adhesives which work well on cardboard, plastic, wood and metal.

41249009 PR1 4 1/2" x 5 1/2" 1000/cs.



## PACKING PAPER

### G. NEWSPRINT GORDON PAPER

For interior stuffing and wrapping (especially china and glass), sandwich wrap, glass interleaving, retail packaging and void filler.

35621525	1525NEWS50	15" x 25", Sheets, 50#	1/bdl.
35621844	1824NEWS40	18" x 24", Sheets, 40#	1/bdl.
35621824	1824NEWS50	18" x 24", Sheets, 50#	1/bdl.
35620025	2436NEWS25	24" x 36", Sheets, 25#	1/bdl.
35622436	2436NEWS50	24" x 36", Sheets, 50#	50/bdl.
35620032	36NEWS30	8" dia., 36", Roll, 30#	1/rl.
35622432	24NEWS3085	8 1/2" dia., 24", Roll, 30#	1/rl.
35620182	1824NEWS50	18" dia., 24", Roll, 50#	1/rl.

### H. BOGUS PAPER GORDON PAPER

For a variety of packaging applications, including the cushioning of furniture.

35622400 2450BOGUS 24" x 50", P24 Plugs 1/rl.



MAINTENANCE, OFFICE SUPPLIES, PACKAGING



# Packing Paper/Tape

MAINTENANCE, OFFICE SUPPLIES, PACKAGING



## A. DEM INDENTED PAPER GORDON PAPER

DEM (Dry Embossed Medium) is a 100% recycled product made from recycled corrugated shipping containers and clippings. The sheet is stiffer and stronger than indented Gray Recycled Bogus Paper and brown in color. It is used for heavy-duty interleaving and cushioning applications for both interior (carton) packaging as well as pallet interleaving. It is also used as a dunnage (void fill) for heavier items.

<b>356226211</b>	<i>222221DEM</i>	22" x 22", Brown, Sheets, 50#	1/bd.
<b>35622621</b>	<i>242621DEM</i>	24" x 26", Brown, Sheets, 50#	1/bd.

## B. SINGLEFACE CORRUGATED ROLLS REYNOLDS® FOOD PACKAGING

An ideal packaging material because of its rigidity, cushioning and resistance to penetration. Flexible and easy-to-fold in any direction. Can be used to interleave or outer wrap and seals quickly with staples, tape, twine, or strapping.

<b>14907219</b>	<i>1178A</i>	11 <sup>7</sup> / <sub>8</sub> " x 250', A-Flute	1/rl.
<b>14903601</b>	<i>1478A</i>	14 <sup>7</sup> / <sub>8</sub> " x 250', A-Flute	1/rl.
<b>14900411</b>	<i>36A</i>	36" x 250', A-Flute	1/rl.
<b>14900069</b>	<i>48B</i>	48" x 250', B-Flute	1/rl.



## BAG SEALING TAPE

## C. POLY BAG SEALING TAPE TECHNICAL PAPERS

For use on automatic poly bag sealers such as Franklin's POS2.

<b>664700021</b>	<i>25PVC</i>	3/8" x 180 yd.	1/rl.
------------------	--------------	----------------	-------

## PRESSURE SENSITIVE TAPE

## D. TARTAN™ 369 BOX SEALING TAPE 3M

1.0 Mil, clear polypropylene film with pressure-sensitive hot melt synthetic rubber resin adhesive. General purpose tape. For applications where box, weight of contents, etc. does not put severe stress on the tape. Good holding power to fiberboard. Complies with environmental considerations of ASTM D1974.

<b>66553691</b>	<i>02120061553</i>	48mm x 100m, Clear	36/cs.
-----------------	--------------------	--------------------	--------

## E. COHERE 1060 CARTON SEALING TAPE SEKISUI TA

For sealing lightweight boxes subjected to minimal shipping hazards.

<b>18781060</b>	<i>1060CLEAR2X110</i>	2" x 110 yd., Clear, Supreme, 1.6 MIL	36/cs.
-----------------	-----------------------	---------------------------------------	--------

## F. ECONOMY CARTON SEALING TAPE SEKISUI TA

For sealing lightweight boxes subjected to minimal shipping hazards.

<b>18781157</b>	<i>1160CLEAR2X55</i>	2" x 55 yd., Clear, Supreme, 1.7 MIL	36/cs.
<b>18781161</b>	<i>1160CLEAR48X100</i>	48mm x 100m, Clear, Supreme, 1.7 MIL	36/cs.



## FILM TAPE

## G. ECONOMY FILM CARTON SEALING TAPE INTERTAPE POLYMER GROUP

Polypropylene film tape. Meets UPS and US Postal regulations for package sealing. Bulk packed (UPC on core).

<b>39573342</b>	<i>610C</i>	1 <sup>9</sup> / <sub>16</sub> " x 55 yd., Clear, 1.7 MIL	36/cs.
-----------------	-------------	---	--------

## HOT MELT TAPE

## H. SCOTCH® 371 BOX SEALING TAPE 3M

Features pressure sensitive hot melt synthetic rubber resin adhesive and biaxially-oriented polypropylene film backing. Good adhesion and backing for many box sealing applications.

<b>66556200</b>	<i>02120015873</i>	48mm x 100m, Clear	36/cs.
-----------------	--------------------	--------------------	--------



# Tape



## GUMMED TAPE

### A. GUMMED PAPER TAPE SEKISUI TA

Light-duty gummed paper tape provides both protection and security for your boxes. Fast tacking adhesive means the tape bonds quickly and permanently to corrugated board, making application fast and secure. Water activated tape can also be applied in dusty and dirty environments. Due to the permanent bond, water activated tape is also ideal for providing protection against pilfering. Boxes cannot be resealed without detection as a result of the superior adhesive penetration.

**18783570** 2570NAT3X600 3" x 600', Natural, Medium-Duty 10/cs.

### B. REINFORCED WATER ACTIVATED SEALING TAPE SEKISUI TA

Fast tacking adhesive means the tape bonds quickly and permanently to corrugated board, making application fast and secure. Can be applied in dusty and dirty environments. Ideal for providing protection against pilferage. Cannot be resealed without detection as a result of the superior adhesive penetration.

**18782583** 25803X375 3" x 375', Kraft or White, Regular 8/cs.



## CELLOPHANE TAPE

### C. CELLO TAPE DECKER TAPE

This ultra clear tape is the same construction as 115TA but has tough edges and is not easy tear. Excellent product for splicing, bundling, can sealing, and edge reinforcing.

**289001151** 115TE2 2" x 72 yd. 1/ea.

### D. CELLOPHANE TAPE DECKER TAPE

A transparent film tape with rubber adhesive that is easy-to-tear. Use with #1035 desk top dispenser.

**289010525** 10512 1/2" x 72 yd., Transparent 12/pkg.

**289010535** 1051 1" x 72 yd., Transparent 6/pkg.



## FLATBACK TAPE

### E. FLATBACK DELI TAPE TECHNICAL PAPERS

Flatback tape.

**664754611** PR5461W 1" x 60 yd., White 1/ea.



## DUCT/CLOTH TAPE

### F. DUCT TAPE INTERTAPE POLYMER GROUP

A multi-purpose poly-coated cloth tape for all around the house use. Strong and durable, holds securely indoors or out.

**39573331** 6900 2" x 60 yd. 24/cs.

## MASKING TAPE

### G. PRO MASK® MASKING TAPE INTERTAPE POLYMER GROUP

Provides clean removal from windows, trim and walls, even when exposed to sunlight for up to eight days. UV resistant.

**39573325** 58052 2" x 60 yd., Green 24/cs.

### H. PRO MASK® MASKING TAPE INTERTAPE POLYMER GROUP

Provides clean removal from windows, trim and walls, even when exposed to sunlight for up to eight days. UV resistant.

**39573321** 953215 1 1/2" x 60 yd., Blue 16/cs.

**39573322** 95332 2" x 60 yd., Blue 12/cs.

### I. MASKING TAPE SEKISUI TA

For splicing, most spray and brush painting masking applications, light bundling and packaging, protection in manufacturing.

**18782499** 250134X60 3/4" x 60 yd., Utility, 5.1 MIL 48/cs.

**18782501** 25011X60 1" x 60 yd., Utility, 5.1 MIL 36/cs.

**18782497** 25012X60 2" x 60 yd., Utility, 5.1 MIL 24/cs.



# Tape Dispenser/Twine/Manual & Machine Film



## TAPE DISPENSER

### A. TAPE DISPENSER DISTRIBUTORS PRODUCTS

Hand tape dispenser with adjustable brake.  
**313002141** *DPC214N* 2" 1/ea.

## TWINE

### B. BUTCHER'S TWINE PRIME SOURCE®

Cotton/polyester blend.  
**750002211** *75000221* 1 lb. Ball, #60 1/ea.  
**750002001** *75000200* 2 lb. Cone, 12-Ply 1/ea.  
**750002031** *75000203* 2 lb. Cone, 16-Ply 1/ea.  
**750002091** *75000209* 2 lb. Cone, 24-Ply 1/ea.



### C. POLYPROPYLENE WRAPPING/TYING TWINE AAMSTRAND ROPES & TWINE

Pliable but firm for easy tying and handling, this twine has a smooth clean surface that is kind to hands. The twine has high tensile and knotting strength with exceptional holding power. It resists rot, mildew, and insects. The twine has excellent uniformity with minimum stretch. It has no lubricant, stain, or gum coating treatment. Also used to pull rope through conduit, this lightweight fibrillated twine resists tangling when being dispensed. Although this twine is not for pulling wire or cable, it is a good choice for use with power fishing systems.  
**C48200011** *33250* 10 lb., 8,500', 850, 1-Ply 1/ea.



### D. TWINE FRANK W. WINNE & SON

Cotton wrapping twine. 4's yarn.  
**726100231** *10057* 2 lb. Cone, 1600', 24-Ply 1/ea.

### E. EXXON TWINE SCHERMERHORN BROTHERS

Tying twine.  
**62805502** *515301B* 850-900 1/bx.  
 Poly-cotton twine.  
**62805503** *516651B* 850, 2-Ply 1/bx.

### F. TWINE SEABOARD PAPER & TWINE

Butcher twine.  
**325624055** *24PLY12S* 1/2 lb. Ball, 24-Ply 12/pk.  
**325637061** *3PLYWHITE* 2 lb. Cone, 3-Ply, White 1/ea.




## MANUAL FILM

### G. PALLET WRAP PRIME SOURCE®

Wrap has excellent puncture resistance and superior holding force. Remarkable stretch and cling characteristics allow for a fast, smooth application. Available in various widths.  
**75002705** *75002705* 15" x 1500', Hand Wrap, 70 GA 4/cs.  
**75002712** *75002712* 15" x 1500', Hand Wrap, 80 GA 4/cs.  
**75002706** *75002706* 18" x 1500', Hand Wrap, 70 GA 4/cs.  
**75002713** *75002713* 18" x 1500', Hand Wrap, 80 GA 4/cs.

## MACHINE FILM



### H. SIGMA SELECT CAST MACHINE FILM SIGMA STRETCH

General purpose, cast co-extruded stretch film's broad specifications provide for excellent performance when wrapping most A and B loads. With up to 250% pre-stretch, it provides for high levels of strength, puncture resistance and cling. Clear optics and quiet unwind make this film the top choice for the widest range of applications.  
**64315080** *MSC205080* 20" x 5000', .80 MIL 1/r.  
**64316070** *MSC206070* 20" x 6000', .70 MIL 1/r.  
**643190261** *MSC206080* 20" x 6000', .80 MIL 1/r.

MAINTENANCE, OFFICE SUPPLIES, PACKAGING

# Poly Strapping/Paper/Sales Book/Register Rolls




## POLY STRAPPING

### A. POLYPROPYLENE STRAPPING ITW MINIGRIP/ZIP-PAK

Offers higher elongation and elongation recovery properties to ensure secure packaging for shipping and storage.

<b>47606510</b>	<i>H12600BK6</i>	0.031" Thickness, 1/2"W x 7200', Black, 16x6 Core, Light to Medium-Duty, 600 lb. Break	1/rl.
-----------------	------------------	--	-------




## COMPUTER PAPER

### B. COMPUTER PAPER WEYERHAUSER

Computer paper, 1/2" green bar, no perforations.

<b>72820210</b>	<i>141107</i>	14 7/8" x 11", White/Green, 20#, Bond Impact printer form type. One-ply. 1/2" green bar. 1/2" marginal perfs.	2700/cs.
<b>72821127</b>	<i>951127</i>	9 1/2" x 11", White/Green, 20#	2700/cs.



### C. COMPUTER PAPER WEYERHAUSER


Blank bond computer paper with 1/2" left and right perforations.

<b>72821047</b>	<i>951047</i>	9 1/2" x 11", White, Clean Edge Perfs, 20#	2700/cs.
<b>72820522</b>	<i>951522</i>	9 1/2" x 11", White, 2 Part	1700/cs.

### D. MICROPERFORATED CUSTOM CUT SHEETS WEYERHAUSER

Punched and perforated paper is ideal for healthcare forms, medical charts, invoices, statements, remittance coupons and more. Compatible with high-speed copiers, laser and inkjet printers and offset presses. Custom laser cut.

<b>72826700</b>	<i>851332</i>	8 1/2" x 11", White, 3 3/8" Perf	2500/cs.
-----------------	---------------	----------------------------------	----------



## COPY PAPER

### E. WILLCOPY XEROGRAPHIC PAPER WEYERHAUSER

Premium #4 dual-purpose xerographic paper.


<b>72820010</b>	<i>851001</i>	8 1/2" x 11", White, 20#	5000/cs.
<b>72820012</b>	<i>851001HS</i>	8 1/2" x 11", White, High Speed, 20#	5000/cs.
<b>72820031</b>	<i>851031</i>	8 1/2" x 11", White, 3 Hole, 20#	5000/cs.
<b>72820020</b>	<i>854001</i>	8 1/2" x 14", White, 20#	5000/cs.
<b>72820058</b>	<i>117001</i>	11" x 17", White, 20#	2500/cs.

## SALES BOOK

### F. SALES BOOK NATIONAL CHECKING

Two-part stock sales books with attached carbon, 50 sets per book.

<b>20250020</b>	<i>12A</i>	3 5/8" x 5 1/8"	100/cs.
-----------------	------------	-----------------	---------



## ADDING MACHINE TAPE/ CASH REGISTER ROLLS

### G. ADDING MACHINE TAPE NCR

Roll name: 3 AM.

<b>49057428</b>	<i>845137</i>	150' Per Roll, 3" x 3" x 76mm	50/cs.
-----------------	---------------	-------------------------------	--------

### H. THERMAL ROLLS NCR

Regular thermal paper.

<b>49052015</b>	<i>5568642015</i>	3 1/8" x 230'	50/cs.
<b>49051004</b>	<i>3008351004</i>	3 1/4" Core, 3 1/8" x 230'	50/cs.
<b>49059078</b>	<i>90780218</i>	80mm x 273'	50/cs.

Paper type: thermal/black print. 225' per roll.

<b>49056830</b>	<i>856830</i>	2 1/4" x 3"	48/cs.
-----------------	---------------	-------------	--------



MAINTENANCE, OFFICE SUPPLIES, PACKAGING

# Register Rolls



## A. THERMAL ROLLS NCR

### Dresser Wayne ICR

Paper type: thermal/black print.

**49050182** 856979 400' Per Roll, 2.312" x 4.06", 24/cs.  
Core Size: .60" (Outer dia.), 1.0" (Inner dia.)

### IBM

Fiber core. Paper type: thermal/black print.

**49050141** 856995 230' Per Roll, 3<sup>1</sup>/<sub>8</sub>" x 3", White, 48/cs.  
Core Size: .65" (Outer dia.), .45" (Inner dia.)

### T15040

Thermal/black print paper type. For use on: NCR 7445, Axiohm A620, A711, Citizen CBM1000, CBM262, CBM291, Dresser Wayne Gas Pump. NCR provides a complete line of superior media products to ensure system compatibility, trouble-free operation, and maximum performance. We test and certify our media to ensure optimum system performance and capabilities. ISO 9002 certification ensures processes are followed every time. Paper is lab tested and adheres to strict specifications and performs optimally in a variety of printers. NCR Systemedia guarantees thermal printheads will not fail prematurely.

**490566075** 856607 84' Per Roll, 2<sup>1</sup>/<sub>4</sub>" x 2", 3/pk.  
Core Size: .85" (Outer dia.), .45" (Inner dia.)

**49056607** 856607 84' Per Roll, 2<sup>1</sup>/<sub>4</sub>" x 2", 72/cs.  
Core Size: .85" (Outer dia.), .45" (Inner dia.)

## B. PANASONIC POS REGISTER ROLL NCR

High bulk tablet paper. For use on: NCR 2061, 2170 w/2173 PTR, 2170 w/7160 PTR, 2173, 7445, 7454, 7455, Addmaster IJ2000, IJ2040, IJ2050, IJ3000, IJ3080, IJ9000, MICRJET, MJ5000, Axiohm A714, Citizen CBM710, CBM720, iDP3420, iDP3421, iDP3423, iDP3535, iDP3550, iDP3551, iDP460, Epson TM210, TM267 II, TM270, TM-U200, TM-U210, TM-U300, TH-U325, TM-U375, IBM SUREONE, Ithaca Per. PcOS 150, 151, 152, 153, Norand NP105, Star Micronics SP200, SP2000, SP212, SP216, SP2320, SP2360, SP242, SP246, SP2520, SP2560, SP312, SP317, SP342, SP347, SP349, UP389, Tokheim 176, Transact ITHACA SERIES 150, 151, 152, 153.

**49056620** 846620 150' Per Roll, 3" x 3", 50/cs.  
Core Size: .85" (Outer dia.), .45" (Inner dia.)

## C. PAPER ROLLS NCR

3600DZ receipt/detail roll. 194' per roll. Core size: .85" (outer dia.) x .45" (inner dia.). Paper type: tablet.

**49051007** 841007 2<sup>3</sup>/<sub>4</sub>" x 3<sup>1</sup>/<sub>8</sub>" 48/cs.  
Roll no. 26. Roll name: 2<sup>1</sup>/<sub>4</sub>".

**490502095** 845207 150' Per Roll, 2<sup>1</sup>/<sub>4</sub>" x 3" 5/pk.

**49050209** 845207 150' Per Roll, 2<sup>1</sup>/<sub>4</sub>" x 3" 100/cs.  
Roll no. 39. Roll name: 2<sup>1</sup>/<sub>4</sub>".

**49050036** 841418 194' Per Roll, 2<sup>3</sup>/<sub>4</sub>" x 3<sup>1</sup>/<sub>8</sub>" 50/cs.

Roll no. 45. Roll name: 3" two-ply (W/C).

**49050039** 845919 100' Per Roll, 3" x 3<sup>1</sup>/<sub>16</sub>" 50/cs.

Roll no. 5. Roll name: 38MM.

**49050170** 845032 150' Per Roll, 1<sup>31</sup>/<sub>64</sub>" x 2<sup>3</sup>/<sub>4</sub>" 100/cs.

# Register Rolls/Other



## A. PAPER ROLLS

NCR

### 44MM - Thermal

Thermal mechanical paper. For use on: NCR MA-305, MA-315, MA516; B&E RE270, RE6100; Casio 2200, 2202ER, 2204ER, 2302ER, 2304ER, 2404ER, 2408ER, 3205ER, 3207ER, 3404ER, 3408ER, 3508ER, 3800ER, 4100SR, 4200SR, 4404ER, 4420ER, 4430ER, 4600ER, 4612ER, 6118ER, 6130ER, 8100ER, 8102ER, 8110ER, 8200ER, 8300ER, 8400ER, CE2300, CE3100, CE3115, CE3215, CE3500, CE3530, CE3630, CE3830, CE4115, CE4200, CE4500, CE4530, SA2000, SR6, TK1000, TK1100, TK1200, TK1300, TK2000, TK2100, TK2600, TK2700, TK4000, TK4300, TK700, TK710; CRS 400, 405, 408, 812, 828; Data Terminal Systems 1500, 1700, 1800, 219E, 221, 42, 560, 951, 960; Dresser Wayne DECADE 1000, DK1000; Esper 7100, 7200; Gilbarco DOT-2, G-CAT, TCR14, TCR15, TCR-G2; ICL 9505, 9507; Jay 540, 560, 651, 562, 580, 585, 625, 630, 640, 645; Micros 200, 300, 400, 450, 452, 472, 474; Omron RS14-30, RS16, RS4510, RS4541, RS5500, RS5510, RS5540, RS5541, RS5550, RS5560, RS6000, RS70, RS7000; Samsung ER1710, ER2710, ER2715; Sanyo ECR360, ECR460, ECR500, ECR520, ECR550, ECR570, ECR600, ECR650; Sharp EL1182, EL1197, ER2380, ER2381, ER2385, ER23876, ER2390, ER2391, ER2395, ER2396, ER2540, ER2541, ER2590, ER2592, ER2595.

**49050151** 844567 150' Per Roll, 1<sup>3</sup>/<sub>4</sub>" x 3", 100/cs.  
Core Size: .85" (Outer dia.), .45" (Inner dia.)

### 44MM - Tablet Paper

Tablet paper type. For use on: Casio 2200, 2202ER, 2204ER, 2304ER, 2404ER, 2408ER, 3205ER, 3207ER, 3404ER, 3408ER, 3508ER, 3800ER, 4100SR, 4200SR, 4404ER, 4420ER, 4430ER, 4600ER, 4612ER, 6118ER, 6130ER, 8100ER, 8102ER, 8110ER, 8200ER, 8300ER, 8400ER, CE2300, CE3100, CE3115, CE3215, CE3500, CE3530, CE3630, CE3830, CE4115, CE4200, CE4500, CE4530, SA2000, SR6, TK1000, TK1100, TK1200, TK1300, TK2000, TK2100, TK2600, TK2700, TK4000, TK4300, TK700, TK710, Jay 540, 560, 561, 562, 580, 585, 625, 630, 640, 645, Samsung ER1710, ER2710, ER2715, Sharp ER-A320, ER-A330, ER-A440, ER-A460, ER-A470, ER-A550, ER-A550S, ER-A570, ER-A610, TEC FS1450, FS1650, MA1350, MA1450, MA1650, Tokheim 190, MEMS V

**49057423** 845074 194' Per Roll, 1<sup>3</sup>/<sub>4</sub>" x 3<sup>1</sup>/<sub>8</sub>", 100/cs.  
Core Size: .85" (Outer dia.), .45" (Inner dia.)



## OTHER

### B. 3M™ DUAL LAMINATE REFILL CARTRIDGE

3M

For use with the 3M Laminating System LS950. Front and back side lamination. Great for presentations, 3-ring binder sheets, schedules and more.

**66550951** 02120059152 8<sup>1</sup>/<sub>2</sub>"W x 100'L, 2.5 MIL 1/ea.



### C. CREDIT CARD CLEANER

NASHUA CORPORATION

For ATMs.

**17404210** 10CT 2" x 2" 10/pk.

### D. ERC 31 CARTRIDGE RIBBON

NASHUA CORPORATION

Original Epson ribbon ERC 31 for Epson TM-H 5000, TM-U 950/925 and TM-U 590.

**17400420** 4019503 1/2" x 42', Purple 6/pk.

### E. RIBBON

NASHUA CORPORATION

ERC30 Epson ribbon.

**174075225** 401752 Black/Red 6/bx.

# Other/Kits



MAINTENANCE, OFFICE SUPPLIES, PACKAGING



## A. VERIFONE 250 SUPPLIES KIT

NCR

Contains 20 3" two-ply rolls and two ink ribbons. Two-ply CB white/CF white paper type. Contains 20 rolls of 3" two-ply paper (white/canary) and 2 red/black cassette ink ribbons. For use on: Verifone 250. NCR provides a complete line of superior media products to ensure system compatibility, trouble-free operation, and maximum performance. We test and certify our media to ensure optimum system performance and capabilities. We manufacture a complete line of conventional, thermal and multi-ply rolls. Documented manufacturing processes utilize best practices and ensure consistent, high quality products. ISO 9002 certification ensures processes are followed every time. Paper is lab tested and adheres to strict specifications and performs optimally in a variety of printers. Paper is purchased from qualified suppliers. NCR Systemedia guarantees thermal printheads will not fail prematurely.

49056648    996648    3"    20/cs.



## B. BLOODBORNE PATHOGEN CLEANUP KIT

IMPACT PRODUCTS

Safe and sanitary removal of spilled bodily fluids, blood and other potentially infectious substances. Self-contained and disposable. Kit includes: two latex gloves, one faceshield, one face mask, two shoe covers, one apron, one absorbent pack, two towelettes, two scoops/scrapers, two biohazard bags, one towel, one instruction sheet and one 12 oz. disinfectant spray can (does not include disinfectant). Complies with OSHA Rule 29 CFR 1910.1030.

14607354    7354    1/ea.

## C. KOCH FA/25 FIRST AID KIT

KOCH

Comes complete with CPRotector® "Mouth-to-Mouth Barrier". Suitable for up to 25 people. White polypropylene box with handle/hanging bracket.

328093761    206007    10" x 7" x 3", White    1/ea.

Don't see what you are looking for?  
We stock over 10,000 items in the  
Northeast region! Contact your  
representative for more information.